



## SPECIFICATION

### CTP (PVI) N-(cylhexyl thio) phthalimide

HS CODE - 38122090 | CAS NO - 17796-82-6

NAME OF INDEX	FIRST GRADE
Appearance	White or light yellow powered crystal
Melting point, ° C, min	89-94
Available composition content,%max	96
Heating loss, %	0.5
Ash Content, % ,max	0.1
Insoluble matter in toluene, %, max,	0.5
Identification IR	Identical to standard

#### APPLICATION

The product may be used in natural rubber and synthetic rubber. It may protect effectively the rubber material from scorching during Processing, So that to make it possible for extruder and calendar to be running at a high temperature and high speed and improve the production capacity of vulcanizer. The product also can improve the storage stabilization of the rubber material, protect natural vulcanization during storage. It has reclamation function for rubber material, which bearing high heating or with dangers of scorching.

#### PACKAGE

In knitted bag lined with plastic bag or kraft paper bag. 25kgs/bag or at buyer's request.